

## BELT PRESS EBP 350



**Gross price:**  
**88 079 €**

**Net price:**  
**71 609 €**

Belt press with pneumatic belt tensioner, automatic belt control and high pressure belt cleaner (high pressure cleaner required). The mash is applied to the belt in a uniform layer by the adjustable metering box, at the end of the pressing sequence the pomace is removed from the belt by a scraper.

### Processable materials

Apples, Pears, Quince, Beetroot, Carrots, Manioc, Vegetables. This represents just an example, based on different materials and a selection of fruit processed in practice.

### Technical data

|                                |           |
|--------------------------------|-----------|
| Height pomace ejector          | 775 mm    |
| Height waste water drain       | 120 mm    |
| Height juice outlet            | 485 mm    |
| Connection for juice outlet    | 1         |
| Connection for waste water     | ø 48,3 mm |
| Water consumption for cleaning | 2 l/min   |
| Contact time                   | 1 min     |
| Belt speed                     | 2 m/min   |
| Juice yield                    | 70 %      |

|                       |  |
|-----------------------|--|
| Material              | 1.4301 / AISI 304  |
| Weight                | 355 kg   |
| Conveyor width        | 240 mm   |
| Strip length          | 4 900 mm   |
| Belt width            | 350 mm   |
| Discharge height      | 1 350 mm   |
| Height                | 1 350 mm   |
| Width                 | 970 mm   |
| Length                | 1 290 mm   |
| Electrical protection | 16 A   |
| Connected load        | 400V 50Hz (dreiphasig)                                       |
| Motor rating          | Antriebsmotor 0,37 (0,5) Reinigungsmotor 0,12 (0,16) kW (PS) |
| Nominal rating kg/h   | 300 kg/h   |

## DEVICE SPECIFICATIONS

Weight: 350 kg

Country of origin: Austria

Producer warranty: 1 year

Electric power supply: 400V 50Hz (3 fazy)

Nominal rating kg/h: 300 kg owoców/h

Juice yield: 70%

Dimensions in cm (W x H x L): 87 x 135 x 128

Made from: 1.4301 / AISI 304

Wysokość przyjęcia owoców: 126,5 cm



GALLERY

